

Lowering Block Kits

Large Range Available, with Models being added regularly

Available in 25mm, 40mm, 50mm, 63mm, 75mm and 100mm

- Designed to Lower Frame and Body
- Billet Style 6063 Aluminium
- Fits most vehicles with Leaf Springs
- Easy to Install, no Special Tools Required
- Includes 4 Zinc Plated U-Bolts and Serrated Nuts



Lowering Block Kits

Features

- Aluminium Billet 6063
- Includes 4 Zinc Coated U-Bolts and Serrated Nuts

How to Order

Add Size e.g. (25, 40, 50, 63, 75 or 100) into the Part No, where it says ** in the listing below. E.g. LB13** to order 25mm kit, the part number is LB1325.

Sizes Available:

25mm = 1"
40mm = 1 1/2"

50mm = 2"
63mm = 2 1/2"

75mm = 3"
100mm = 4"



Ford

LB13**65	Capri
LB13**	Courier
LB13**	Econovan
LB24**65	Escort/Cortina early to 1970 MK1
LB13**65	Escort late 1970 onwards MK2
LB13**65	Falcon XK-XP 6 Cylinder
LB32**	Falcon XR-XF 6 Cylinder
LB36**	Falcon XR-XF 8 Cylinder
LB3236**	Falcon EA-EF and XG-XH Ute, Van and Wagon (14mm U-Bolts)
LB3236**	Falcon AU on Ute/Table Top and Wagon (14mm U-Bolts)
LB3236**75	Falcon EA-EF and XG-XH Ute, Van and Wagon (12mm U-Bolts)
LB3236**75	Falcon AU on Ute/Table Top and Wagon (12mm U-Bolts)

(NOTE: 25mm limit to lower if fitted with 16" wheels)

Holden

LB19**	Commodore VY 1 Tonner with 19mm locating pin
LB16**	Commodore Crewmen Ute
LB25**	FX to HD 1948-1965
LB13**	HR to WB 1966 on (If New or Rest springs fitted, lower hole in block may need to be drilled to 14mm. Disregard original nuts and bolts, and fit U-Bolts supplied), (HQ Sedan/Wagon has coil springs, so cannot be fitted with lowering blocks)
LB1316**85	Rodeo without 12mm locating pin
LB12**	Rodeo with 12mm locating pin

Mazda

LB25**	Most Mazda Sedans (All models except RX series should be 24mm locating pin, check differential housing locating pin size, before fitment)
--------	---

Mitsubishi

LB13**85	Challenger 4WD
LB25**	Galant, Sigma
LB13**	Lancer LA, LB
LB25**	Lancer LC
LB14**	L300 Commercial
LB14**85	Triton Ute 2WD & 4WD (Check Diff Housing to ensure uses round U-Bolts)
LB13**	Valiant All Models

Nissan

LB1316**65	1200/120Y Sedan, Coupe & Ute
LB13**65	180B/200B Wagon
LB1316**	620/720 2WD & 4WD
LB1316**85	Navara 2WD & 4WD

Toyota

LB25**65	All Sedans with Borg Warner Diff (The diff has a removable rear cover plate)
LB13**65	All Sedans with Japanese Diff (The diff has no cover plate)
LB14**	Commercials with 14mm Locating Pin
LB16**	Commercials with 16mm Locating Pin
LB19**	Commercials with 19mm Locating Pin
LB21**	Commercials with 21mm Locating Pin

For all Toyota Models please check Diff Locating Pin/Eyebolt size before ordering)

Valiant

LB13**	All Models
--------	------------

Many Sets are made to order, and are Non-Returnable. Any Size of 75mm to 100mm is for display use only.

The fitment of Lowering Block Kits may contravene State, Federal or Local Laws please contact the relevant authorities before fitment. The fitment of Lowering Blocks to a vehicle should only be done by a qualified automotive mechanic or engineer.

Application Guide

MAKE	MODEL	YEAR	COMMENTS	TOP PIN	BOTTOM PIN	U BOLT
CHRYSLER	SV1, AP5, AP6, VC, VE, VF, VG, VH, VJ, VK, CL, CM	1962-1981		13	13	75x12mm
	Galant GA, GB,GC, GD	1971 to 1977		25	25	75x12mm
DAIHATSU	Feroza		Check Pin, Variation possible	14	14	75x12mm
FORD	Capri	1969 to 1973		13	13	65x12mm
	Cortina			25	25	65x12mm
	Courier	1978-2006		13	13	75x12mm
	Econovan with single rear wheel	1979-2006		13	13	75x12mm
	Escort Pre 1975 Commonly known as Mk 1	1968-1975	Check Pin, Variation possible	25	25	65x12mm
	Escort Post 1975 Commonly known as Mk 2.	1975-1981	Check Pin, Variation possible	13	13	65x12mm
	Explorer			16	16	85x12mm
	Fairlane ZA, ZB, ZC, ZD, ZF, ZG, ZH, ZJ, ZK, ZL (9/1966 to 10/1987) 6 Cylinder Models			32	32	75x12mm
	Fairlane ZA, ZB, ZC, ZD, ZF, ZG, ZH, ZJ, ZK, ZL, NA, NC (9/1966 to 8/1994) 8 Cylinder Models (V8)			36	36	75x12mm
	Fairmont XR, XT, XW, XY, XA, XB, XC, VD, XE, XF Sedan 6 cyl	1966 to 1988		32	36	75x12mm
	Fairmont XR, XT, XW, XY, XA, XB, XC, XD, XE, XF Sedan 8 cyl	1966 to 1988		36	36	75x12mm
	Falcon XK, XL, XM, XP	1960-66	Check Diff Housing Size, Can be 57 or 65mm	13	13	57x12mm
	Falcon XK, XL, XM, XP	1960-66	Check Diff Housing Size, Can be 57 or 65mm	13	13	65x12mm
	Falcon XR, XT, XW, XY, XA, XB, XC, XD, XE, XF Sedan 8 cyl	1966 to 1988		36	36	75x12mm
	Falcon XR, XT, XW, XY, XA, XB, XC, XD, XE, XF Sedan 6 cyl	1966 to 1988		32	32	75x12mm
	Falcon EA, EB, ED, XG, XH Ute, Van, Wagon		On XG-XH check U-Bolts thread, VWe supply 14mm	32	36	75x14mm
	Falcon EA, EB, ED, XG, XH Ute, Van, Wagon		If using 12mm U-Bolts	32	36	75x12mm
	Falcon EF, EL, AU, BA, BF, FG Ute, Traytop, One Tonner + Wagon		** Will not fit if 15" Standard Wheels fitted, However can be fitted if "oversized wheel" are fitted to the vehicle such as 16", 17", 18", 19" or 20". But you must measure and allow for clearance first, Refer Page 16 for further information	32	36	75x14mm
	LTD FC, FD, FE (10/1982-10/1988) 6 Cylinder Models			32	32	75x12mm

25MM	40MM	50MM	63MM	75MM	100MM
LB1325	LB1340	LB1350	LB1363	LB1375	LB13100
LB2525	LB2540	LB2550	LB2563	LB2575	LB25100
LB1425	LB1440	LB1450	LB1463	LB1475	LB14100
LB132565	LB134065	LB135065	LB136365	LB137565	LB1310065
LB252565	LB254065	LB255065	LB256365	LB257565	LB2510065
LB1325	LB1340	LB1350	LB1363	LB1375	LB13100
LB1325	LB1340	LB1350	LB1363	LB1375	LB13100
LB252565	LB254065	LB255065	LB256365	LB257565	LB2510065
LB132565	LB134065	LB135065	LB136365	LB137565	LB1310065
LB162585	LB164085	LB165085	LB166385	LB167585	LB1610085
LB3225	LB3240	LB3250	LB3263	LB3275	LB32100
LB3625	LB3640	LB3650	LB3663	LB3675	LB36100
LB3225	LB3240	LB3250	LB3263	LB3275	LB32100
LB3625	LB3640	LB3650	LB3663	LB3675	LB36100
LB132557	LB134057	LB135057	LB136357	LB137557	NA
LB132565	LB134065	LB135065	LB136365	LB137565	LB1310065
LB3625	LB3640	LB3650	LB3663	LB3675	LB36100
LB3225	LB3240	LB3250	LB3263	LB3275	LB32100
LB323625	LB323640	LB323650	LB323663	LB323675	LB3236100
LB32362575	LB32364075	LB32365075	LB32366375	LB32367575	LB323610075
LB323625**	LB323640**				
LB3225	LB3240	LB3250	LB3263	LB3275	LB32100

MAKE	MODEL	YEAR	COMMENTS	TOP PIN	BOTTOM PIN	U BOLT
FORD	LTD FC, FD, FE (10/1982-10/1988) 8 Cylinder Models			36	36	75x12mm
	Mustang 6 Cylinder with Spring Isolator Pack	1964-70		32	32	75x12mm
	Mustang 6 Cylinder without Spring Isolator Pack	1964-70		13	13	75x12mm
	Mustang 6 Cylinder 60mm Axle Housing without Isolator Pack	1964-70		13	13	65x12mm
	Mustang 8 Cylinder with Spring Isolator Pack	1964-70		36	36	75x12mm
	Mustang 8 Cylinder without Spring Isolator Pack	1964-70		13	13	75x12mm
	Reider	1993		16	16	75x12mm
	Ranger 2wd			16	16	75x14mm
	Ranger 4wd					
HOLDEN	Colorado RC 2wd	7/2008 to 5/2012		12	12	85x14mm
	Commodore VY,VZ Ute and 1 Tonner	10/2002-8/2006	(Confirm 16mm pin. Can be 19mm in some models)	16	16	75x12mm
	Commodore Caprice, Monaro+ Statesmen	10/2002-8/2006	(Confirm 16mm pin. Can be 19mm in some models)	16	16	75x12mm
	Crewman VY, VZ 2WD and AWD	10/2002-8/2006	(Confirm 16mm pin. Can be 19mm in some models)	16	16	75x12mm
	FX, FJ, FE, FC, FB, EK, EJ, EH, HD	1963-1967		25	25	75x12mm
	HR, HK, HT, HG	1966-1971		13	13	75x12mm
	HG, HJ, HX, HZ, WB Ute, Van + 1 Tonner	1972-1988	Sedans have Independent Rear Suspension, so cannot use Lowering Blocks.	13	13	75x12mm
	Rodeo KB, TF, R7, R9	1976 to 2002	Check Pin. Variation possible. Also Diff Housing U-Bolt Size	13	16	85x12mm
ISUZU	Rodeo RA series 11/2002 to 8/2008	11/2002 to 8/2008	Check Pin. Check Diff housing, that it uses Round U-Bolts. We supply round U-Bolts.	12	12	85x14mm
	D-Max TF 10/2008 to 5/2012	10/2008 to 5/2012	Check Pin. Check Diff housing, that it uses Round U-Bolts. We supply round U-Bolts.	12	12	85x14mm
	Rodeo KB, TF, R7, R9	1976 to 2002	Check Pin. Variation possible. Also Diff Housing U-Bolt Size	13	16	85x12mm
MAZDA	B1800			25	25	75x12mm
	B2000	1985 to 1991		13	13	75x12mm
	B2500		Check Pin. Variation possible 13mm, 16mm or 25mm	13	13	75x12mm

25MM	40MM	50MM	63MM	75MM	100MM
LB3625	LB3640	LB3650	LB3663	LB3675	LB36100
LB3225	LB3240	LB3250	LB3263	LB3275	LB32100
LB1325	LB1340	LB1350	LB1363	LB1375	LB13100
LB132565	LB134065	LB135065	LB136365	LB137565	LB1310065
LB3625	LB3640	LB3650	LB3663	LB3675	LB36100
LB1325	LB1340	LB1350	LB1363	LB1375	LB13100
LB1625	LB1640	LB1650	LB1663	LB1675	LB16100
LB162575	LB164075	LB165075	LB166375	LB167575	LB1610075
N/A	N/A	N/A	N/A	N/A	N/A
LB122585	LB124085	LB125085	LB126385	LB127585	LB1210085
LB1625	LB1640	LB1650	LB1663	LB1675	LB16100
LB1625	LB1640	LB1650	LB1663	LB1675	LB16100
LB1625	LB1640	LB1650	LB1663	LB1675	LB16100
LB2525	LB2540	LB2550	LB2563	LB2575	LB25100
LB1325	LB1340	LB1350	LB1363	LB1375	LB13100
LB1325	LB1340	LB1350	LB1363	LB1375	LB13100
LB13162585	LB13164085	LB13165085	LB13166385 Note A	LB13167585 Note A	LB131610085 Note A
LB122585	LB124085	LB125085	LB126385 Note A	LB127585 Note A	LB1210085 Note A
LB122585	LB124085	LB125085	LB126385 Note A	LB127585 Note A	LB1210085 Note A
LB13162585	LB13164085	LB13165085	LB13166385	LB13167585	LB131610085
LB2525	LB2540	LB2550	LB2563	LB2575	LB25100
LB1325	LB1340	LB1350	LB1363	LB1375	LB13100
LB1325	LB1340	LB1350	LB1363 Note A: Please check clearance as suspension parts may hit fuel tank	LB1375	LB13100

MAKE	MODEL	YEAR	COMMENTS	TOP PIN	BOTTOM PIN	U BOLT
MAZDA	B2500		Check Pin. Variation possible 13mm, 16mm or 25mm	16	16	75x12mm
	B2500		Check Pin. Variation possible 13mm, 16mm or 25mm	25	25	75x12mm
	B2600		Check Pin. Variation possible 13mm, 16mm or 25mm	13	13	75x12mm
	B2600		Check Pin. Variation possible 13mm, 16mm or 25mm	16	16	75x12mm
	B2600		Check Pin. Variation possible 13mm, 16mm or 25mm	25	25	75x12mm
	E1600		Some Models will require diff plates to be drill out from 10mm to 12mm	13	13	75x12mm
	E2000		Some Models will require diff plates to be drill out from 10mm to 12mm	13	13	75x12mm
	Bravo		Check Pin. Variation possible	13	13	85x12mm
	BT50 2wd (Same as Ford Ranger)			16	16	75x14mm
	BT50 4wd (Same as Ford Ranger)					
	RX9		Check Pin. Variation possible	25	25	75x12mm
	Sedans-Most models		Check Pin. Variation possible	25	25	75x12mm
MITSUBISHI	Challenger PA 4WD	1998 to 2007		13	13	85x12mm
	Lancer LA, LB	1974-1980	Check Pin. Variation possible 13mm or 25mm	13	13	75x12mm
	Lancer LC	1980-1984	Check Pin. Variation possible 13mm or 25mm	25	25	75x12mm
	L300 SA, SB, SC, SD, SE	1981 on		14	14	75x12mm
	Sigma			25	25	75x12mm
	Starwagon L300 SB, SC, SD, SE	1981 on		14	14	75x12mm
	Triton 2WD ME, MF, MG, MH, MJ, MK	10/ 1987 to 12/2006	Check Pin. Check Diff housing, that it uses Round U-Bolts. We supply round U-Bolts.	13	13	85x12mm
	Triton 2WDML, MN	3/2006 to 2015	Check Pin. Check Diff housing, that it uses Round U-Bolts. We supply round U-Bolts.	14	14	75x12mm

25MM	40MM	50MM	63MM	75MM	100MM
LB1625	LB1640	LB1650	LB1663	LB1675	LB16100
LB2525	LB2540	LB2550	LB2563	LB2575	LB25100
LB1325	LB1340	LB1350	LB1363	LB1375	LB13100
LB1625	LB1640	LB1650	LB1663	LB1675	LB16100
LB2525	LB2540	LB2550	LB2563	LB2575	LB25100
LB1325	LB1340	LB1350	LB1363	LB1375	LB13100
LB1325	LB1340	LB1350	LB1363	LB1375	LB13100
LB132585	LB134085	LB135085	LB136385	LB137585	LB1310085
LB162575	LB164075	LB165075	LB166375	LB167575	LB1610075
N/A	N/A	N/A	N/A	N/A	N/A
LB2525	LB2540	LB2550	LB2563	LB2575	LB25100
LB2525	LB2540	LB2550	LB2563	LB2575	LB25100
LB132585	LB134085	LB135085	LB136385	LB137585	LB1310085
LB1325	LB1340	LB1350	LB1363	LB1375	LB13100
LB2525	LB2540	LB2550	LB2563	LB2575	LB25100
LB1425	LB1440	LB1450	LB1463	LB1475	LB14100
LB2525	LB2540	LB2550	LB2563	LB2575	LB25100
LB1425	LB1440	LB1450	LB1463	LB1475	LB14100
LB132585	LB134085	LB135085	LB136385	LB137585	LB1310085
LB1425	LB1440	LB1450	LB1463	LB1475	LB14100

MAKE	MODEL	YEAR	COMMENTS	TOP PIN	BOTTOM PIN	U BOLT
NISSAN	1200			13	16	65x12mm
	120Y			13	16	65x12mm
	180B Sedan	1972 to 1977		13	13	75x12mm
	180B Wagon	1972 to 1977	Measure Diff Housing for U-Bolt size	13	13	65x12mm
	200B Sedan	1977 to 1981		13	13	75x12mm
	200B Wagon	1977 to 1981	Measure Diff Housing for U-Bolt size	13	13	65x12mm
	620 Ute		Measure Diff Housing for U-Bolt size	13	16	75x12mm
	720 Ute		Measure Diff Housing for U-Bolt size	13	16	75x12mm
	Bluebird Wagon			25	25	65x12mm
	Navara D21, D22 2wd	1986 to 2015	Check Diff housing, that it uses Round U-Bolts. We supply round 85mm U-Bolts.	13	16	85x12mm
	Urvan			14	14	75x12mm
	Vanette			21	21	75x12mm
	XFN Ute	1984 to 1991		32	36	75x12mm
TOYOTA	Hiace, Hilux, Liteace, Toyace with 14mm Pin Size	Must check pin size	Check Pin, Variation possible	14	14	75x12mm
	Hiace, Hilux, Liteace, Toyace with 16mm Pin Size	Must check pin size	Check Pin, Variation possible	16	16	75x12mm
	Hiace, Hilux, Liteace, Toyace with 19mm Pin Size	Must check pin size	Check Pin, Variation possible	19	19	75x12mm
	Hiace, Hilux, Liteace, Toyace with 21mm Pin Size	Must check pin size	Check Pin, Variation possible	21	21	75x12mm
	Corolla, Corona, Crown with Borg Warner Diff (Identified by removable rear cover plate)			25	25	65x12mm
	Corolla, Corona, Crown with Toyota Diff (This diff has no removable rear cover plate)			13	13	65x12mm
VALIANT	SV1, AP5, AP6, VC, VE, VF, VG, VH, VJ, VK, CL, CM	1962-1981		13	13	75x12mm

25MM	40MM	50MM	63MM	75MM	100MM
LB13162565	LB13164065	LB13165065	LB13166365	LB13167565	LB131610065
LB13162565	LB13164065	LB13165065	LB13166365	LB13167565	LB131610065
LB1325	LB1340	LB1350	LB1363	LB1375	LB13100
LB13162565	LB13164065	LB13165065	LB13166365	LB13167565	LB131610065
LB1325	LB1340	LB1350	LB1363	LB1375	LB13100
LB13162565	LB13164065	LB13165065	LB13166365	LB13167565	LB131610065
LB131625	LB131640	LB131650	LB131663	LB131675	LB1316100
LB131625	LB131640	LB131650	LB131663	LB131675	LB1316100
LB252565	LB254065	LB255065	LB256365	LB257565	LB2510065
LB13162585	LB13164085	LB13165085	LB13166385	LB13167585	LB131610085
LB1425	LB1440	LB1450	LB1463	LB1475	LB14100
LB2125	LB2140	LB2150	LB2163	LB2175	LB21100
LB3225	LB3240	LB3250	LB3263	LB3275	LB32100
LB1425	LB1440	LB1450	LB1463	LB1475	LB14100
LB1625	LB1640	LB1650	LB1663	LB1675	LB16100
LB1925	LB1940	LB1950	LB1963	LB1975	LB19100
LB2125	LB2140	LB2150	LB2163	LB2175	LB21100
LB252565	LB254065	LB255065	LB256365	LB257565	LB2510065
LB132565	LB134065	LB135065	LB136365	LB137565	LB1310065
LB1325	LB1340	LB1350	LB1363	LB1375	LB13100

AU / BA Utes / Table Tops

with standard 15" wheels cannot be fitted with lowering blocks

However 1" upward in size lowering blocks can be fitted if over-size wheels are fitted to the car e.g. 16", 17", 18", 19" or 20" wheels. **BUT** you must measure size at point (A) and allow a clearance factor if you need to replace the spare tire because of a flat.

You cannot put a 15" wheel on the rear. You will have to rotate the front rim to back and the spare to the front, unless the spare is the same size as the other 4 wheels fitted.

As you can see, any lowering is controlled by the clearance of shock absorber's plate to the inside of the road wheel if there is not enough space the shock absorber plate will rub against the inside of the road wheel.

