



# PR3213 VOYAGER PRO TRAY ACCESSORY MOUNTS

## FIRST TIME INSTALLATION

- Please read instructions carefully before installation.
- Check the contents of kit. Contact your Prorack dealer if any parts appear to be missing or damaged.
- Clean your Tray prior to fitting the Accessory Mounts.
- Use caution when handling rails and slats, sharp edges may be present.

## TOOLS REQUIRED

- Torque Wrench (optional)
- Screwdriver (optional)


**NOTE - THIS PRODUCT IS DESIGNED TO WORK WITH PRORACK VOYAGER PRO ALLOY TRAYS**

## IMPORTANT WARNING!

IT IS CRITICAL THAT ALL PRORACK RACKS AND ACCESSORIES BE PROPERLY AND SECURELY ATTACHED TO YOUR VEHICLE. IMPROPER ATTACHMENT COULD RESULT IN AN AUTOMOBILE ACCIDENT, AND COULD CAUSE SERIOUS BODILY INJURY OR DEATH TO YOU OR TO OTHERS. YOU ARE RESPONSIBLE FOR SECURING THE RACKS AND ACCESSORIES TO YOUR CAR, CHECKING THE ATTACHMENTS PRIOR TO USE, AND PERIODICALLY INSPECTING THE PRODUCTS FOR ADJUSTMENT, WEAR, AND DAMAGE. THEREFORE, YOU MUST READ AND UNDERSTAND ALL OF THE INSTRUCTIONS AND CAUTIONS SUPPLIED WITH YOUR PRORACK PRODUCT PRIOR TO INSTALLATION OR USE. IF YOU DO NOT UNDERSTAND ALL OF THE INSTRUCTIONS AND CAUTIONS, OR IF YOU HAVE NO MECHANICAL EXPERIENCE AND ARE NOT THOROUGHLY FAMILIAR WITH THE INSTALLATION PROCEDURES, YOU SHOULD HAVE THE PRODUCT INSTALLED BY A PROFESSIONAL INSTALLER SUCH AS A ROOF RACK SPECIALIST.


## KIT CONTENTS

Item #	Component	Qty
1	Cover	2
2	M6 Button Head Capscrew 20mm	4
3	M6 Washer	4
4	M6 Spring Washer	4
5	M8 Washer	2
6	M8 Spring Washer	2
7	M8 Button Head Capscrew 40mm	2
8	Frame	2
9	M6 Square Nut	4
10	Bracket A	4
11	Bracket B	2
12	Bracket C	2
13	Clamp	2
14	Allen Key 5mm	1
15	Allen Key 4mm Ball End	1



- 1** Referring to Figure 1, slide 2 x M6 Square Nuts into the top and bottom channels on each Frame, lining up with the holes in the Frame.


Fig. 1




*Note - Keep the frame horizontal to prevent the Square Nuts from sliding out of the channel. Sections of foam or other material approx. 12mm in length may be placed into the channel either side of the nut to keep the nut in the correct central position.*

- 2** Referring to Figure 2, loosely assemble each Frame and Cover together using 1 x M8 Washer, 1 x M8 Spring Washer and 1 x M8 Capscrew.

Fig. 2




- 3** Referring to the example configurations over page, attach Brackets to the assembly according to your accessory needs using any bracket into any of the 6 slots. Secure Brackets using 1 x M6 Washer, 1 x M6 Spring Washer and 1 x M6 Capscrew per Bracket. Tighten screws to 5Nm with 4mm Ball End Allen Key provided or a suitable Torque Wrench.




*Note - orientation of Bracket A sits in front of the cover.*

- 4** Choose the position on your Alloy Tray rails where you would like to fit the Accessory Mounts. The central protrusion on the Accessory Mount fits between the gap in the upper and lower rails of the Alloy Tray.




*Note - optional bracket configuration shown, refer over page for more examples.*

- 5** Secure the Accessory Mounts to tray with the Clamps and tighten the centre M8 Capscrews loosely installed in Step 1 to 5Nm with 5mm Allen Key provided or a suitable Torque Wrench.




**EXAMPLE CONFIGURATION - SHOVEL HOLDER OR AWNING**

Accessories such as the Prorack Shovel Holder (PR3204) and Prorack Shade Awning (PR3215) can be mounted as shown.




*Note - The Accessory Mounts can carry up to 16kg of equipment per pair. Ensure all items are securely attached.*

*Suggested Configuration for the Prorack Shovel Holder (PR3204) and Prorack Shade Awning (PR3215).*




**EXAMPLE CONFIGURATION - RECOVERY TRACKS CARRIER**


Accessories such as the Prorack Recovery Tracks Carrier (PR3207) can be mounted as shown.



*Suggested Configuration for the Prorack Recovery Tracks Carrier (PR3207).*



*Note - The Accessory Mounts can carry up to 16kg of equipment per pair. Ensure all items are securely attached.*




**EXAMPLE CONFIGURATION - LIGHTS, FLAGS, AERIALS**

Accessories such as Light Bars, Spotlights, Aerials and Flags can be mounted using the shown configurations.



*Note - The Accessory Mounts can carry up to 16kg of equipment per pair. Ensure all items are securely attached.*



## MAINTENANCE

- Check accessory is securely attached whenever you refit it to the vehicle. If the unit feels loose, refer to the fitting instructions and readjust.
- Regularly check all fasteners. This includes all attached accessories and roof racks.
- Clean with hot soapy water and sponge as required.

## CAUTION

- The Accessory Mounts can carry up to 16kg of equipment per pair. Ensure all items are securely attached.
- Ensure that all loads are distributed evenly across the roof racks and on the Tray, and are fastened securely.
- A loaded roof rack system can alter the performance of your vehicle. Be especially aware of the effects of side winds, changing of direction, and braking performance. Avoid rapid acceleration and deceleration. Drive Carefully.
- Make sure all loads are securely fastened with non-elastic straps. Check regularly during longer journeys.
- Never drive into a car wash with the roof rack system or accessories fitted.
- Do not exceed the vehicle manufacturer's roof load rating. Total load equals weight of roof racks + accessories + cargo/equipment.

## WARRANTY & DISCLAIMER

**Yakima Australia Pty Ltd ABN 58 154 440 221**

**17 Hinkler Court, Brendale QLD 4500**

**Tel: 0800 4776 722 (NZ) or 1800 143 548 (AU)**

**Email: [warranty@yakima.co.nz](mailto:warranty@yakima.co.nz) or [warranty@yakima.com.au](mailto:warranty@yakima.com.au)**

1. Where the product is supplied to the customer for other than business purposes within the meaning of section 43 of the New Zealand Consumer Guarantees Act 1993, the provisions of that Act shall apply. It is important that anyone who fits or uses this product does so in accordance with the manufacturer's instructions.
2. Where the product is supplied to the customer for business purposes within the meaning of section 43 of the New Zealand Consumer Guarantees Act 1993, the provisions of that Act and all other representations or terms (including any conditions or warranty expressed or implied by law, statute or otherwise) not expressly included in this leaflet are hereby expressly excluded shall have no effect and the clauses (a) and (b) shall apply.
3. Subject to the **Additional Information (Australia)**, where the product is supplied and purchased in Australia, the following shall apply:
  - (a). THE SUPPLIER WARRANTS the product to be free from defects in materials and/or workmanship for a period of three (3) years from the date of original purchase (the warranty period). Proof of purchase is required. Subject to the limitations and exclusions set out below, the Supplier hereby agrees to remedy any defects in materials or workmanship becoming apparent during the warranty period, by replacing or repairing any defective product or component (at its option) free of charge to the purchaser in respect of replacement parts or labour. Any defective product or component must be notified and where practicable, returned at the purchaser's expense to the Supplier immediately upon discovery of the alleged defect and no attempt made on the part of the purchaser to repair it.

- (b). EXCEPTIONS, EXCLUSIONS AND LIMITATIONS TO WARRANTY. The product and/or its components must be fitted/assembled and loaded in accordance with the Supplier's written instructions and any requirements set out in the car's owner manual. This warranty does not cover defects, loss or damage resulting from circumstances beyond the Supplier's control including, but not limited to misuse, overloading, or failure to assemble and/or fit the product or component in accordance with the Supplier's written instructions. Nor does the warranty cover defects, loss or damage resulting from accidents, unlawful use of the vehicle or defects/inconsistencies in the vehicle on which the product or component is fitted. Liability for direct, indirect, special, punitive, incidental, exemplary, contractual or consequential damage or loss arising from defects, faulty materials or design omissions or negligence or workmanship in the product or its components is hereby expressly excluded subject to the following. Certain Commonwealth legislation, including the Competition and Consumer Act 2010 (Cth), and other State and Territorial legislation confers upon purchasers rights which cannot be excluded from or be restricted or modified by contract. Any conditions, guarantees and/or warranties implied by law and incapable of exclusion are deemed to be expressly incorporated herein. Nothing herein contained is intended nor shall be permitted to be inconsistent with any such conditions, guarantees and/or warranties. To the extent permitted by legislation all conditions, guarantees and/or warranties such as implied warranties which are capable of exclusion are hereby expressly excluded and negated.

## ADDITIONAL INFORMATION ( AUSTRALIA )

This information should be read in conjunction with clauses (a) and (b).

### IMPORTANT LEGAL NOTICE

Our goods come with guarantees that cannot be excluded under the Australian Consumer Law. You are entitled to a replacement or refund for a major failure and for compensation for any other reasonably foreseeable loss or damage. You are also entitled to have the goods repaired or replaced if the goods fail to be of acceptable quality and the failure does not amount to a major failure.

This warranty does not change or take away your rights under the Australian Consumer Law. Your right to claim under this policy for the benefits covered is in addition to other rights and remedies you have under the law in relation to the product.

Where you become aware of defects in materials or of workmanship, and wish to make a claim under this warranty you must do the following for the warranty to be honoured by your Prorack dealer or Yakima Australia Pty Ltd ABN 58 154 440 221 (Yakima):

1. Make a claim as soon as practicable by contacting the Prorack dealer from whom you purchased the product, who will give you instructions on how to proceed.
2. If you are unable to contact the Prorack dealer, or the dealer is not able to remedy the defect, you should contact Yakima as soon as practicable at:

Call: 0800 4776 722 (NZ) or 1800 143 548 (AU)

Email: [warranty@yakima.co.nz](mailto:warranty@yakima.co.nz) or [warranty@yakima.com.au](mailto:warranty@yakima.com.au)

Alternately, you can write to Yakima at 17 Hinkler Court, Brendale QLD Australia 4500 in order to make a claim under your warranty.

3. Upon contacting Yakima directly, you should explain as fully as possible the defect. A Yakima representative will provide you with appropriate instructions for returning the product together with a copy of the original purchase invoice or receipt to Yakima.
4. The costs and expenses associated with making a claim under your warranty including the costs of complying with those instructions and of returning the product to Yakima or the Prorack dealer will be borne by you.

Following receipt of the product and purchase invoice or receipt, Yakima or the Prorack dealer must inspect the product to determine whether the claim falls within the warranty. If:

- 4.1 the claim falls within the warranty, Yakima will remedy any defects in materials or workmanship becoming apparent during the warranty period, by replacing or repairing any defective product or component (at its option) free of charge to the purchaser in respect of replacement parts or labour.
- 4.2 the claim does not fall within the warranty, Yakima will return the product to you at your expense.